

**MADISON INDUSTRIES, INC.
OLD WATERWORKS ROAD
OLD BRIDGE, NJ 08857**

Telephone: 732-727-2225
Facsimile: 732-727-2653
info@oldbridgechem.com
www.oldbridgechem.com

MATERIAL SAFETY DATA SHEET

September 24, 2009

Page 1 of 4

Common Name: ZINC CHLORIDE ORTHOPHOSPHATE

Manufacturer: Madison Industries, Inc.
P.O. Box 175
Old Bridge, New Jersey 08857

Telephone: 732-727-2225
Emergency Telephone: 800-275-3924
24 Hour Emergency Telephone: 800-424-9300 (Chemtrec)

HAZARDOUS CLASSIFICATION: NFPA: Health-2 / Fire-0 / Reactivity-0
HMIS: Health-2 / Fire-0 / Reactivity-0

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200).

SECTION I. MATERIAL IDENTIFICATION

Common Name: Zinc Chloride Orthophosphate
Molecular Formula: NA

Hazardous Components Greater Than 1%*:

<u>Material</u>	<u>PEL</u>	<u>TLV</u>	<u>CAS. No.</u>	<u>%</u>
Zinc Chloride	1 mg/m ³	1 mg/m ³	7646-85-7	> 1%
Phosphoric Acid	1 mg/m ³	1 mg/m ³	7664-38-2	> 1%

* Balance is non-hazardous components.

Carcinogenicity: Not listed by NTP, IARC, or OSHA

SECTION II. PHYSICAL DATA

Physical State: Liquid
Boiling Point: > 100 degrees C (212 degrees F)

Freezing Point:	< 0 degrees C
Vapor Pressure:	NA
Volatiles %:	> 20
Specific Gravity:	1.0 to 1.5
Solubility in H ₂ O:	100%
Evaporation Rate:	NA
PH:	< 2.0

SECTION III. FIRE AND EXPLOSION DATA

Flammability:	Non-flammable
Extinguishing Media:	Not applicable
Special Fire Fighting Instructions:	Not applicable
Fire and Explosion Hazards:	May release Zinc Chloride and Zinc Oxide fumes and Hydrogen Chloride gas in a fire.

SECTION IV. REACTIVITY DATA

Stability:	Very stable at high temperatures.
Conditions to Avoid:	Treat as acid. Avoid strong bases.
Incompatibility:	Cyanide - may release toxic HCN. Sulfides - may release toxic Hydrogen Sulfide
Hazardous Combustion/ Decomposition:	May liberate zinc compounds, oxides of phosphorus, or hydrogen chloride gas if involved in fire.

SECTION V. HEALTH AND HAZARD INFORMATION

Exposure Limits:	OSHA 8 hour Time Weighted Average (TWA) and ACGIH TLV-TWA for Zinc Chloride (fume) are one mg. per cubic meter.
Swallowing:	May cause burns of mouth and throat.
Skin:	May cause severe skin burns.
Eyes:	May cause severe cornea injury and result in permanent impairment of vision or even blindness.
Inhalation:	Dusts, mists or vapors, may cause severe irritation to upper respiratory tract. Severe exposure may cause pulmonary edema. Metal fume fever may result from inhaling Zinc Oxide, which is a possible decomposition product at high temperatures.
Carcinogenicity:	None as per NTP, OSHA, and IARC.

SECTION VI. FIRST AID PROCEDURES

Swallowing:	Give large amounts of milk or water. Do not induce vomiting. Call Poison Control Center or a physician. Do not give anything by mouth to an unconscious person.
-------------	---

Skin: Immediately flush skin with plenty of water for 15 minutes. Remove contaminated clothing and shoes. Call a physician. Wash contaminated clothing before reuse.

Eyes: Immediately flush eyes with plenty of water for 15 minutes. Hold eyelids apart during irrigation. Call a physician.

Inhalation: If dusts, mists or vapors are inhaled, immediately remove person to fresh air and call a physician.

Carcinogenicity: None

SECTION VII. HANDLING PRECAUTIONS

Personal Protective Equipment: Chemical safety goggles. Wear chemically resistant rubber gloves, rubber apron, rubber shoes, and transparent face shield.

Ventilation: Maintain good general ventilation to keep mists below exposure guidelines.

SECTION VIII. SPILL OR LEAK PROCEDURES

Spills or Leaks: Comply with Federal, State and Local regulations on reporting spills. Flush with plenty of water to an approved chemical sewer.

Waste Disposal: Comply with Federal, State and Local regulations. Zinc Chloride can be carefully reacted with Sodium Carbonate to form an insoluble Zinc Carbonate solid that can be scooped up and sent to a disposal contractor.

SECTION IX. SPECIAL PRECAUTIONS

Storage: Do not store in a steel container. Plastic or plastic lined or rubber lined containers or storage tanks should be used.

SECTION X. REGULATORY INFORMATION

NOTICE: The information herein is presented in good faith and believed to be accurate. However, no warranty, expressed or implied, is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyer's responsibility to ensure that its activities comply with Federal, State and local laws.

U.S. REGULATIONS: SARA 313 Information; This product contains the following substance subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: **Zinc Compound** See Section X for concentrations SARA HAZARD CATEGORY: This product has been reviewed according to the EPA "Hazard Categories" promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986

(SARA Title III) and is considered, under applicable definitions, to meet the following category:

AN IMMEDIATE HEALTH HAZARD

SECTION XI. SHIPPING INFORMATION

D.O.T. Hazard Class: Corrosive, 8
D.O.T. Shipping Name: UN3264, Corrosive Liquid, Acid, Inorganic, N.O.S.
(Phosphoric Acid, Zinc Chloride) 8, PGIII

SECTION XII. MSDS PREPARATION INFORMATION

Prepared by: Madison Industries, Inc.

The information contained herein is accurate to the best of our knowledge. However, data, safety standards and government regulations are subject to change, and the conditions of handling, use or misuse of the product are beyond our control. We make no warranty, either express or implied, including any warranties of merchantability or fitness for a particular purpose. We also disclaim all liability for reliance on the completeness or confirming accuracy of any information included herein. Users should satisfy themselves that they are aware of all current data relevant to their particular uses.